TOWN OF DEERFIELD APPLICATION FOR MAJOR SUBDIVISION

1. Name of Applicant (S):	
Address of Applicant:	
Phone Number:	Cell Number:
2. Name of Owner of Record:	
Phone/Cell Number of Owner of Record:	
3. Name of Surveyor:	
Address of Surveyor:	
Phone/Cell Number of Surveyor:	
4. Location of proposed Major Subdivision:	
Street:	
Tax Map Number:	Lot Number:
Number of Total Acres in parcel:	
5. Number of new lots to be created:	Acres in each:
6. Intended use (Check one): Residential □ Comm	nercial 🗆 Industrial 🗆
7. Attached List of names and addresses of abutters (Also show on plat)	s to be completed (page 2)
8. Statement of intent:	

9. THE FOLLOWING NOTE MUST APPEAR ON ALL MAJOR SUBDIVISION PLANS:

1. Applicant shall submit (8) copies of plans with application.

"ANY STRUCTURE CONSTRUCTED ON THE PROPOSED LOT(S) SHALL BE SUBJECT TO AN IMPACT FEE FROM THE TOWN OF DEERFIELD. SAID FEE SHALL BE CALCULATED AT THE POINT OF BUILDING PERMIT APPLICATION AND DUE AT THE ISSUANCE OF THE CERTIFICATE OF OCCUPANCY."

9a. SUB-DIVISION LOT NAMING INSTRUCTIONS FOR PLAN:

THE ORIGINAL PARENT LOT (CONTAINING ALL BUILDINGS/STRUCTURES) RETAINS IT'S ORIGINAL MAP/LOT NUMBER, EACH TIME A LOT IS SUBDIVIDED, THE ORIGINAL NUMBER IS KEPT BY THE ORIGINAL PARENT LOT. EACH TIME A SUBDIVISION OCCURS, ALL NEWLY CREATED LOTS IN THE SUBDIVISION RECEIVE A NEW NUMBER CONSISTING OF THE ORIGINAL PARENT LOT NUMBER WITH "<u>A HYPHENATED EXTENTION FOR EACH SEPARATE NEW LOT."</u>

EXAMPLE: "ORIGINAL PARENT LOT IS 150. SUB-DIVISION IS PLANNED FOR 5 NEW LOTS FROM THE PARENT LOT." NAMING FOR 5 NEW LOTS WOULD BE; 150-1, 150-2, 150-3, ETC.

10. Payment to the Town of Deerfield for the following:

Application Fees:

1. Application Fee	\$ 200.00
2. Lot Creation Fee (\$100.00 per new lot) # of Lots	\$
3. Abutters Notice (\$8.70 per abutters) # of Abutters	\$
4. Town Planner Review fee (\$500.00) (SEPARATE CHECK)	\$
5. Recording Fee	\$
(\$30.00 per drawing & \$18.00 per page written documents)	
(\$25.00 fee for LCHIP) (<u>SEPARATE CHECK</u>)	\$
6. Town Engineer review, if required (3 rd party engineering review)	\$

\$

Total of all Application Fees

11. The applicant shall include a full abutters list in the format shown below:

Name:		Name:		Name:	
Address:		Address:		Address:	
		<u> </u>		<u> </u>	
Map	Lot	Map	Lot	Map	Lot

The applicant and/or owner certifies that this application is correctly completed with all required attachments and requirements and that any additional costs for engineering or professional services incurred by the planning board or the Town of Deerfield in the approval process of this application shall be borne by the applicant and/or

Owner:

"I hereby authorize the Deerfield Planning Board and its agents to access my land for the purpose of reviewing this plan or any other inspections deemed necessary by the board or its agents to ensure conformance of the site improvements with the approved plan and all town of Deerfield ordinances and regulations."

Signature of

Owner: _____ Date: _____

TOWN OF DEERFIELD REQUEST FOR NAMING ROADS (Per Affirmative Vote on Article 18 of the March 23, 2002 Town Meeting)

Developer:		
Address:		
City/Town		
Tel:		
E-Mail:		
Road Name Requested (Please off	er 3 choices): Choice #1:	
Choice#2:	Choice #3:	
Location of Subdivision:	Map/Lot	_
(use additi		
This form is to be returned to the 1 8 Raymond Road, Deerfield, New	Deerfield Board of Selectmen, Post Office Box #159, Hampshire 03037-0159.	
Review Date:	Approved#() [Denied
DEERFIELD BOARD OF SELE	CTMEN	
Select Board Chair		
Select Board Vice-Chair		
Selectman		
Selectman		
Selectman		
Reviewed and Request Additional	Information	

Appendix A Table of Geometric and Other Standards for Streets

ITEM	<u>ARTERIAL</u> <u>STREET</u>	<u>COLLECTOR</u> <u>STREET</u>	<u>LOCAL</u> <u>STREET</u>
1. Average daily Traffic	800-3,000	200 - 1,000	0- 350
2. Minimum width of Right-of-way	80'	60'	50'
3. Minimum pavement width	42'	36'	24'
4. Minimum grade	1%	1%	1⁄2 %
5. Minimum grade	6%	6%	9%
6. Minimum angle of Intersections	60°	60°	60°
7. Width of Shoulders	4'	4'	4'
8. Minimum center-line Radii on curves	800'	200'	200'
9. Minimum tangent length Between reversed curves	300'	200'	100'
10. Road base (minimum) Sub-base - bank run Gravel Upper-base – Crushed Gravel	24" 16" 8"	24" 16" 8"	18" 12" 6"
 11. Bituminous Concrete Paving Binder Course Surface Course (Depths are "in Place") 	2" 1"	2" 1"	2" 1"
12. Road Crown (Minimum)	¹ /4 " / 1'	¹ ⁄ ₄ " / 1'	¹ ⁄4"/1'
 Cul-de-sac Streets Maximum length Diameter of turn –around 			1,200'
Property line Pavement Pavement Width			150' 124' 24'
14. Driveway Aprons Width (minimum) Bituminous Concrete	12'	12'	12'
Paving Binder Course Wearing Course Gravel Base	1.5" 1.5" 6"	1.5" 1.5" 6"	1.5" 1.5" 6"